

BVC 250 CANDY

High-speed Form Fill and Seal machine

The high-speed machine for rooms with a low ceiling height.



Compact packaging solution for confectionery and snacks

- Up to **300 bags per minute**
- Compact and ergonomic design with **low overall height**
- Maximum accessibility due to the largest possible access opening and optional **swivelling control cabinet**
- **Intuitive user interface** for fast and correct commissioning and use
- Perfect bag quality and **maximum product protection** – our Premium Seal technology ensures safe and durable packaging
- **Maximum machine availability** by simplified format changeover
- **Various bag shapes** possible


ROVEMA BVC 250 CANDY

Compact Form Fill and Seal machine for confectionery and snacks

Our BVC 250 Candy gives you maximum flexibility: it can produce various bag shapes and is compatible with different packaging materials – from mono and multilayer packaging materials to paper and paper composite packaging materials. Therefore, the machine is ideal for different requirements and sustainable packaging solutions.

With an output of up to 300 bags per minute, the BVC 250 Candy not only delivers the highest speeds, but also first-class seal quality.

Possible bag shapes



The compact high-speed machine

- **Maximum accessibility** for cleaning and maintenance work due to swing-open doors and optional swivelling control cabinet
- Swing-open doors ensure **ergonomic and user-friendly machine operation**
- **Easier handling** and faster film changes thanks to minimized film path
- **Simple and safe machine handling** ensures safe and error-free operation
- Lightweight format sets enable effortless handling and **fast changeover times**
- **System support for parameter adjustment** ensures optimum operating conditions

Technical data

Nominal output up to 300 B/min.

Sealing force (N) 6000 N

Format range 50–250 mm

Subject to technical changes. Performance data depending on product and packaging material.


Maximum availability due to simple and quick format changeover

- Point-to-point adjustment of the vertical sealing tool
- Format-dependent spacer sleeves to ensure the correct packaging material roll position
- Fast and safe changeover by manual, semi-automatic or fully automatic adjustment points
- Optional connection to control system or barcode scanner for recipe selection

Simple operation due to optimized user interface



- Intuitive operation simplifies daily workflows and increases the efficiency of your processes
- Precise alarm localization enables immediate fault detection and reduces downtimes
- Context-sensitive assistance for faster troubleshooting
- Quick access to instructions and support – directly in the user interface
- Optional: (OEE) optimized data analysis, documentation and evaluations



Excellent sealing results
due to vertical sealing station
with point-to-point adjustment

**Tool-free
belt change**

**Optional swiveling
control cabinet**

Swivelling chute
with tool-free adjust-
ment and point-to-
point adjustment

**Adjustable
barcode scanner**

**Print position
adjustment** without
set-up roller

**Cutting and
gluing table**
with fixed knife



Optional features:

- OPC-UA interface for connection to the customer's control system
- Personalized login via RFID with authorization management
- Point-to-point adjustment for critical adjustment points
- Protective gas flushing
- Metal detector in pull-out carriage
- Swing-open control cabinet
- Swivel cross-sealing jaws
- Air conditioning of machine housing and control cabinet
- Printer and labeler integrated into the film-reel carriage
- Printed content monitoring via camera system
- Motorized spindle adjustment for printing unit/labeler
- Manual spindle cross adjustment for print mark reader and packaging material edge control
- Cutting and gluing table with safety knife, manual
- Barcode scanner for various applications, e.g. for recipe selection or packaging material verification
- Swivelling chute for bag discharge to the rear and film tube removal to the front



ROVEMA Subsidiaries

ROVEMA France SAS
93360 Neuilly-Plaisance
info@rovema.fr

ROVEMA Benelux bv
4906 AC Oosterhout
sales@rovema.nl

ROVEMA Italia s.r.l.
20026 Novate Milanese (MI)
info@rovema-italia.it

ROVEMA Packaging Machines Ltd.
Gatehouse Close/Aylesbury
sales@rovema.co.uk

ROVEMA Spain and Portugal S.L.
08208 Sabadell/Barcelona
rovema@rovema.es

ROVEMA Makine San. Ve Tic. A.S.
34870 Kartal/Istanbul
info@rovema.com.tr

ROVEMA Polska Sp. z o.o.
02-672 Warszawa
rovema@rovema.pl

ROVEMA North America Inc.
Norcross, GA 30093
info@rovema-na.com

ROVEMA Latinoamérica S.A.
Panama City
rlainfo@rovema.com

ROVEMA Asia Pacific
Corporation
Makati City/Philippines
info@rovema.com.ph

ROVEMA Headquarter

ROVEMA GmbH
Industriestrasse 1
35463 Fernwald, Germany
Phone: +49 (0)641/409-0
info@rovema.de
www.rovema.com

Affiliates

DL Packaging
www.dlpack.com

ROVEMA India Pvt Ltd.
www.rovema-india.in



Sales partners and service centers worldwide

www.rovema.com