

CMH/CMV – CARTONING MACHINES

*For various
bag-in-box
applications
and direct
filling.*



Continuous and
intermittent solutions
tailored to your
product, also with
product compaction



ROVEMA CARTONING MACHINES

The highlights.

- Intuitive, easily understandable operation, user interface with graphic support in national language
- Fast, reproducible and tool-free format change, additional options for further simplifications available

CMH-C – CONTINUOUS MOTION HORIZONTAL CARTONING MACHINE

For bag-in-box applications
Output range up to 225 folding boxes per minute

Benefits and advantages of the CMH-C.


- Trouble-free processing of critical folding box material with an air frame erection
- Decentral drives for the main modules of the machine
- Loading module available with top confiner and overfilling detector in conjunction with automatic ejection
- Fast, reproducible and tool-free format change, additional options for further simplifications available
- Intuitive, easily understandable operation, user interface with graphic support in national language

Hygiene and ergonomics.


In addition to a hygienic design with gull wing doors for easy access and low ergonomic loading height of the blank magazine, the machine offers solidly constructed functional subassemblies and adjustments. Internal components and components in contact with the product are made of stainless steel. Upon request, the frame is also available in stainless steel.

Easily adapted to product and format.

The format change is tool-free, quick and can be extended with half or fully automatic adjustments. Packing of soft bags and stacks of bags is supported for the optional product conditioner and top confiner. These units also ensure smooth production when difficult products are loaded.



	A (mm) min./max.	B (mm) min./max.	H (mm) min./max.	Output (cartons/min)
CMH-C 7,5"	85/165	30/120	110/300	225
CMH-C 9"	85/210	30/120	110/300	190
CMH-C 12"	105/280	30/120	110/300	140
CMH-C 13,5"	125/315*	30/120	110/300	125



CMH-I – INTERMITTENT MOTION HORIZONTAL CARTONING MACHINE

Compact construction
Output range up to 75 folding boxes per minute

Benefits and advantages of the CMH-I.

- Trouble-free processing of critical folding box material due to forced box erection
- Mirrored installation possible without difficulties
- Decentral drives
- Dual inserts available with upper guides.
- Fast, reproducible and tool-free format change, additional options for further simplifications available
- Intuitive, easily understandable operation, user interface with graphic support in national language
- Hygienic design

Hygiene, ergonomics and accessibility.

To meet the hygienic design requirements, internal components and components in contact with the product are made of stainless steel. Upon request, the frame is also available in stainless steel. In the CMH-I construction, great attention was paid to the ergonomic loading height of blank magazines and solid construction of the functional relevant components.

The compact design ensures optimized accessibility which is important for fast and easy setup of the machine. With the opening of just one single door, all machine components can be directly reached by the operator.

Easily adapted to the product and format.


The format change from just one side is tool-free, quick and can be extended with half or fully automatic adjustments. Packing of soft bags and stacks of bags is supported for the optional product conditioner and top confiner. These units also ensure smooth production when difficult products are loaded.

Box erection.

A special feature of the machine is the box erection, which allows to erect boxes on the left or right. Thus, a mirrored installation of two machines is possible without difficulties. The forced opening of boxes reduces troubles during erection of boxes.

Insertion and movement profiles.

Dual insertion slots and automatic calculation of movement profiles for all drives ensure optimized slow movements. Thus, the machine operates smoothly and reliably.




Size ranges of the CMH-I.

CMH-I 9"

Box size A (min./max.)	80–210 mm
Box size B (min./max.)	20–120 mm
Box size H (min./max.)	110–300 mm


Special sizes and production capacities on request.



CMH-I

CMV – VERTICAL CARTONING MACHINE BAG-IN-BOX

Filling degree up to 95% with product compaction
Output range up to 120 folding boxes per minute



Benefits and advantages of the CMV.

- Various bag top shapes possible
- Compact and flexible
- Safe and secure box erection by a separately powered rotation picker with forced box erection
- Gentle operation due to oscillating chain movements
- Programmable 3-dimensional format change, 100% reproducible, reduces conversion times
- Intuitive, easily understandable operation, user interface with graphic support in national language
- Additional options for compactable products

The most compact and flexible cartoning method.

The ROVEMA CMV series can be supplied with one or two integrated Form Fill and Seal machines as a compact, flexible bag-in-box machine, optionally available with direct-filling facilities.

- Bag in folded box
- Bag without folded box
- Product filled directly into the folding box

All this is available from a very compact machine.

Compact and flexible.

Probably the most compact bag-in-box line. This case, one or two Form Fill and Seal machines are integrated into a cartoning machine, additional conveyors and/or transfer systems are not required. Depending on configuration and application, up to 120 folding boxes per minute can be produced. The bags are transferred vertically directly from the Form Fill and Seal machine into the folding box. The folding boxes are transported through the machine with oscillating movements so that the bag is transferred safely into the box.

Unique Features.

In addition to the patented box erection and automatic format adjustments, the CMV offers further advantages compared to horizontal cartoning machines. Additional modules in the machine can compact the products to achieve a box filling degree of 95%. Ideal for compactable products such as tea or aerated powders.

Size ranges of the CMV.


CMV 160

Box size A (min./max.)	50–160 mm
Box size B (min./max.)	15–100 mm
Box size H (min./max.)	80–320 mm

CMV 220

Box size A (min./max.)	60–220 mm
Box size B (min./max.)	20–100 mm
Box size H (min./max.)	120–320 mm


Special sizes and production capacities on request.




Bag-in-Box




CMV



90° folding of the top fin



Label as reclosure



Adhesive tape as reclosure

CMV – VERTICAL CARTONING DIRECT FILLING

Output range up to
200 folding boxes per minute


Benefits and advantages of the CMV – direct filling.

- Easily accessible, clearly arranged functions and line design.
- Safe and secure box erection by a separately powered rotation picker with forced box erection
- Sturdy welded tubular frame
- Programmable 3-dimensional format change, 100% reproducible, reduces conversion times
- Intuitive, easily understandable operation, user interface with graphic support in national language


The machine can pack up to 200 folding boxes per minute and is designed for the direct packing of free-flowing and dusting products into boxes. The machine's frame is similar to the bag-in-box CMV, but a continuously revolving filling module is located at the center of the machine.

Clear layout and easy set up.

The machine is designed in a line-design and can be controlled completely from the front. The box erection, box transportation with the different closing modules, as well as the filling module are clearly visible. In addition to the labyrinth folding system that is usually required for direct filling, a tight gluing system can be integrated. Simple format adjustments, a clear line design and an excellent machine control speak for themselves.



Direct filling



CMV direct filling

ROVEMA WORLDWIDE



Passion for packaging

ROVEMA GmbH
35463 Fernwald
T +49 641 409-0
info@rovema.de

ROVEMA France SAS
93360 Neuilly-Plaisance
T +33 143 09 37 20
info@rovema.fr

ROVEMA Benelux bv
4902 TT Oosterhout
T + 31 162 576 464
sales@rovema.nl

ROVEMA Italia s.r.l.
20026 Novate Milanese (MI)
T + 39 02 48 011 785
info@rovema-italia.it

ROVEMA Packaging
Machines Ltd
Gatehouse Close/Aylesbury
T +44 1296 31 04 90
sales@rovema.co.uk

ROVEMA Spain and Portugal S.L.
08208 Sabadell/Barcelona
T +34 937 154 603
rovema@rovema.es

ROVEMA Makine San. Ve Tic. A.S.
34870 Kartal/Istanbul
T + 90 216 688 70 88
info@rovema.com.tr

OOO ROVEMA
196247 St. Petersburg, Russia
T +7 812 309 7607
info@rovema.ru

ROVEMA POLSKA Sp. z o.o.
02-672 Warszawa
T +48 22 854 04 45
rovema@rovema.pl

ROVEMA North America Inc.
Norcross, GA 30093
T +1 404 640 5310
info@rovema-na.com

ROVEMA Latinoamérica S.A.
Panama City
T +507 209 3625
rlainfo@rovema.com

ROVEMA Asia Pacific
Corporation
Biñan City/Philippines
T +63 495454139
info@rovema.com.ph

Sales partners and service centers worldwide

www.rovema.com